





#### **CERTIFICATION - W07**

**EN ISO 13688:2013/A:2021** – Protective Plaining - this international standard specifies the general requirements for the implementation of protective workwear in terms of ergonomics, safety, size designation, wearout, marking of protective Plaining and the information which is supplied by the protective Plaining manufacturer.

**EN 14404:2004+A1:2010** – Personal protective equipment - Knee pads for kneeling work - The standard specifies requirements for knee protection for kneeling work where there is a risk of injury due to surface mechanical effects. The protectors must be harmless to health and safe for the users.



#### WATER RESISTANT TREATMENT (W55, W56)

The waterproof TPU membrane resists moisture penetration very well while maintaining the flexibility of the entire material. Water column 10 000 mm.



#### BREATHABLE MATERIAL (W55, W56)

The 3-layer material helps to regulate water vapour, reliably moving it away from the body and creating a feeling of comfort. Breathability of  $4,000 \text{ g/m}^2/24$  hours.



#### THERMAL REFLECTIVE ZONE (W55, W56)

Thermo reflective zone on the back.



#### ANTI-SOILING FINISH (W07)

The ability of the top material to repel liquid, dirt and greasy dirt.



#### ORDURA (WO7)

The use of CORDURA® material makes the trousers even more resistant, especially against punctures or tearing.



Winter softshell jacket men's

S-3XL

Softshell: 94 % polyester, 6 % elastane; TPU membrane;

Micro fleece: 100 % polyester, antipilling finish;

mid layer and lining: 100 % polyester, waterproof 10 000 mm, breathable 4 000 g/m $^2$ /24h, 320 g/m $^2$ 















removable, adjustable hood with lining











thermal reflective zone

inner breast zip pocket

adjustable by elastic drawstring



Work trousers men's 44-62; prolonged - 48-58 Oxford, 66 % polyamide, 34 % cotton, anti-soiling finish, 100 % polyamid CORDURA® 310 g/m², 210 g/m² CORDURA®





### curved elastic waistband $\odot$ hammer loop CORDURA crotch gusset with 6 % elastane anti-soiling finish • contrast elements highly resistant material CORDURA® in colour 01 back knee ventilation • • pants can be lengthened EN ISO 13688/A1 EN 14404 + A1 (type 2, only with A99 (type 2, only with A99) 94 01



SHIELD A99 Knee pads can be found on page 225





knee pads pockets 10 multifunctional pockets



Stretch fleece men's S-3XL

Stretch fleece, 95 % micro polyester, 5 % elastane, 280 g/m²





ELASTANE



30 Wash





full-length reverse coil zipper with chin protection

cuffs with hole for thumb




Sweatshirt men's S-4XL

Double face interlock knit, 80 % cotton,20 % polyester, 300 g/m<sup>2</sup>











# VERTEX HOODIE W43

Sweatshirt men's S-4XL

Double face interlock knit, 80 % cotton,20 % polyester, 300 g/m<sup>2</sup>











# WOODY WO2

Work bib trousers men's 44/46, 48/50, 52/54, 56/58, 60/62 Twill, 100 % cotton, 270 g/m²

- waistband with elastic back  $\cdot$  8 multifunctional pockets
- $\cdot$  double stitching for extra durability  $\cdot$  retroreflective elements





V02

44/46, 48/50, 52/54, 56/58, 60/62



### WOODY W51, W01

Jacket men's - Work trousers 44/46, 48/50, 52/54, 56/58, 60/62 Twill, 100 % cotton, 270 g/m²

jacket: full-length molded zipper with flap · folds on the back part

- · 8 multifunctional pockets · rib knit sleeve cuffs with 3 % elastane
- $\cdot$  the lower side hem with elastic band  $\cdot$  double stitching for extra durability  $\cdot$  retroreflective elements

work trousers: waistband with elastic sides  $\cdot$  7 multifunctional pockets

- $\cdot$  plastic D-ring and carabiner for keys and ID cards  $\cdot$  double stitching for extra durability
  - retroreflective elements



### **WOODY** W52, W05

Work vest men's · Shorts 44/46, 48/50, 52/54, 56/58, 60/62 Twill, 100 % cotton, 270 g/m²

work vest: full-length molded zipper with flap  $\cdot$  folds on the back part  $\cdot$  8 multifunctional pockets

 $\cdot$  the lower side hem with elastic band  $\cdot$  double stitching for extra durability  $\cdot$  retroreflective elements

shorts: waistband with elastic sides  $\cdot$  7 multifunctional pockets

 $\cdot$  double stitching for extra durability  $\cdot$  retroreflective elements





#### RESIST RO1, RO2

T-shirt men's  $\cdot$  women's S-4XL  $\cdot$  S-3XL

Single Jersey, 100 % pre-shrunk cotton, 160 g/m<sup>2</sup>

· pre-shrunk cotton resistant to higher temperatures · neckline trimmed with 1:1 rib knit fabrics men's: cut with side seams women's: slight fit cut with side seams



### RESIST HEAVY RO3, RO4

T-shirt men's  $\cdot$  women's S-4XL  $\cdot$  S-3XL

Single Jersey, 100 % pre-shrunk cotton, 200 g/m<sup>2</sup>

· pre-shrunk cotton resistant to higher temperatures · neckline trimmed with 1:1 rib knit fabric men's - cut with side seams · women's - slight fit cut with side seams



#### RESIST HEAVY POLO R20, R21

Polo shirt men's · women's S-4XL · XS-3XL

Pique, 100 % pre-shrunk cotton, 200 g/m<sup>2</sup>

• preshrunk cotton resistant to higher temperatures • 1:1 rib knit collar and sleeve hems • separated pocket for easy branding men's: cut with slits in the side seams • women's: slight fit cut with slits in side seams



### RESIST LS RO5

T-shirt unisex

Single Jersey, 100 % pre-shrunk cotton, 160 g/m<sup>2</sup>

- pre-shrunk cotton resistant to higher temperatures  $\cdot$  cut with side seams

 $\cdot$  neckline trimmed with 1:1 rib knit fabric  $\cdot$  1:1 rib knit cuff





# COLORMIX 109

T-shirt unisex

S-4XL

Single Jersey, 100 % cotton, 200 g/m²

· cut with side seams

· 1:1 rib knit neckline hem with 5 % elastane



# STREET LS <sup>130</sup>

T-shirt unisex S-4XL

Single Jersey, 100 % cotton, 180 g/m<sup>2</sup>

- cut with side seams - narrow 1:1 rib knit neckline hem with 5 % elastane - 1:1 rib knit cuff with 5 % elastane



130 S-4XI

# BASE ROG

T-shirt unisex S-6XL

Single Jersey, 100 % cotton, 160 g/m<sup>2</sup>

· durable, ideal for work environment · tubular cut · 1:1 rib knit neckline hem



### RECALL RO7

T-shirt unisex S-6XL

Single Jersey, 100 % cotton, 200 g/m<sup>2</sup>

 $\cdot$  durable, ideal for work environment  $\cdot$  tubular cut  $\cdot$  1:1 rib knit neckline hem with 5 % elastane



### RESERVE R22, R23

Polo shirt men's · women's S-3XL · XS-2XL

Pique, 65 % cotton, 35 % polyester, 200 g/m<sup>2</sup>

· durable, ideal for work environment · 1:1 rib knit collar and sleeve hems with double relief stripe men's: cut with side seams · women's: slight fit cut with side seams



R23: XS size available in colours 00

# JACKET 501, 504

Fleece men's · women's S-4XL · XS-2XL

Fleece, 100 % polyester, antipilling finish, 280 g/m<sup>2</sup>

 $\cdot$  insulating fabric  $\cdot$  full-length molded zipper  $\cdot$  pockets with molded zipper  $\cdot$  bottom hem adjustable by elastic drawstring  $\cdot$  sleeve hems with elastic band  $\cdot$  women's: slight fit cut



# JACKET HI-Q 506

Fleece unisex

Fleece, 100 % polyester, antipilling finish, Complementary material: Rip Stop, 100 % polyamide, inner PU coating, 360 g/m²

- $\cdot$  highly insulating fabric  $\cdot$  shoulders covered by a waterproof, abrasion-resistant fabric  $\cdot$  full-length molded zipper
  - $\cdot$  pockets with molded zipper  $\cdot$  bottom hem with elastic band  $\cdot$  sleeve hems adjustable by velcro







36 94 01 02 05 06 69 07 23

# EFFECT 530

Fleece unisex S-3XL

Fleece, 100 % polyester, antipilling finish; complementary material: plain weave, 100 % polyamide, 360 g/m<sup>2</sup>

- · highly insulating fabric · shoulders and elbows covered by a waterproof, abrasion-resistant fabric
  - · full-length molded zipper · pockets with molded zipper
  - $\cdot$  sleeves ended by cuffs  $\cdot$  bottom hem adjustable by elastic drawstring




#### CASUAL 550

Softshell jacket men's S-3XL

Knitted softshell: 100 % polyester; micro fleece - 100 % polyester Softshell: 96 % polyester, 4 % elastane; micro fleece - 100 % polyester, Lining: 100 % polyester, 350 g/m<sup>2</sup>

- $\cdot$  2-layer sofshell  $\cdot$  combination of knitted and plain fabric  $\cdot$  full-length reverse coil zipper
- $\cdot$  sleeve hems adjustable by velcro  $\cdot$  pockets with reverse coil zipper  $\cdot$  2 inner pockets  $\cdot$  contrast elements





# NEXT 518

Fleece vest unisex XS-4XL

Fleece, 100 % polyester, antipilling finish, 280 g/m $^{2}$ 

- · insulating fabric · full-length coil zipper
- $\cdot$  welt pockets with coil zipper  $\cdot$  bottom hem adjustable by elastic drawstring



4XL size available in colours 00, 01, 02, 05, 23

# BODY WARMER 509

Vest unisex S-4XL

Rip Stop, 100 % polyamide, inner silver coating; lining: Fleece, 100 % polyester, antipilling finish, 300 g/m $^2$ 

- full-length molded zipper with chin protection bottom hem adjustable by elastic drawstring
  - inner pocket with velcro  $\cdot$  access for branding in side lining  $\cdot$  contrast elements



509

94 01 02 05 06 69 07

For further information about the delivery date of new arrivals, please contact the Sales department.



# HV DROP 5V3

Softshell jacket unisex M-4XL

Softshell: 100 % polyester; breathable membrane; micro fleece, 100 % polyester waterproof 14 000 mm, breathable 2 000 g/m $^2$ /24h, 300 g/m $^2$ 

- $\cdot$  high visibility clothing in two-colour design  $\cdot$  waterproof, breathable, fluorescent fabric
  - $\cdot$  segmented retroreflective bands  $\cdot$  back part with a yoke
- $\cdot$  full-length reverse coil zipper with chin protection  $\cdot$  sleeve hems adjustable by velcro
- $\cdot$  welt pockets with reverse coil zipper  $\cdot$  inner breast zip pocket with access for branding
  - $\cdot$  bottom hem adjustable by elastic drawstring  $\cdot$  hanging loop





















# HV GUARD 4 IN 1 5V2

Jacket unisex

M-4XL


Upper jacket: Oxford, 100 % polyester with PU finish, retroreflective bands 3M, 210 g/m<sup>2</sup> Inner fleece: Polar fleece, 100 % polyester, retroreflective bands 3M, antipilling finish on both sides, 280 g/m<sup>2</sup>

· high visibility clothing  $\cdot$  multipurpose use 4 in 1 in two-colour design



#### Upper jacket:

- $\cdot$  waterproof, breathable, fluorescent fabric  $\cdot$  full-length molded zipper with flap
  - · removable hood with reinforced peak, hidden in the collar
  - · hood and bottom hem adjustable by elastic drawstring
- $\cdot$  removable sleeves  $\cdot$  sleeve hems with elastic band, adjustable with velcro
- $\cdot$  multifunctional pockets  $\cdot$  taped seams  $\cdot$  access for branding in back lining



#### EN 343+A1, EN ISO 20471, EN ISO 13688

#### Innerfleece:

- $\cdot$  removable inner fleece jacket  $\cdot$  insulating fluorescent fabric
- $\cdot$  full-length molded zipper  $\cdot$  pockets with molded zipper
  - trimmed by elastic stripe



EN ISO 20471, EN ISO 13688

# HV ESSENTIAL 4V6

Sweatshirt unisex M-3XL

French terry, brushed inner side, 100 % polyester, retroreflective bands 3M, 300 g/m<sup>2</sup>

 $\cdot$  high visibility clothing  $\cdot$  straight cut with side seams  $\cdot$  1:1 rib knit bottom hem, cuffs and neckline



### HV FLEECE JACKET 5V1

Fleece unisex M-3XL

Fleece, 100 % polyester, antipilling finish, retroreflective bands 3M, 280 g/m $^2$ 

 $\cdot$  high visibility clothing  $\cdot$  insulating fluorescent fabric  $\cdot$  full-length molded zipper in 01 colour

222

 $\cdot$  welt pockets with molded zipper  $\cdot$  bottom hem adjustable by elastic drawstring  $\cdot$  sleeve hems with elastic band



### HV DRY 1V8

T-shirt unisex S-3XL

Grid knit, 100 % polyester, segmented retroreflective bands, 150  $\mathrm{g/m^2}$ 

 $\cdot$  quick-drying fluorescent fabric  $\cdot$  segmented retroreflective bands  $\cdot$  cut with side seams  $\cdot$  1:1 rib knit neckline hem





#### HV PROTECT 1V9

T-shirt unisex S-3XL

Interlock pique, 55 % cotton, 45 % polyester, retroreflective bands 3M, 175  $\rm g/m^2$ 

- $\cdot$  fluorescent polyester on the outer side  $\cdot$  cotton on the inner side
  - · cut with side seams · 1:1 rib knit neckline hem





### HV RUNWAY 2V9

Polo unisex

Interlock pique, 55 % cotton, 45 % polyester, retroreflective bands 3M, 175 g/m<sup>2</sup>

· high visibility clothing · fluorescent polyester on the outer side · cotton on the inner side · cut with side seams · 1:1 rib knit collar with a contrast stripe



### HV BRIGHT 9V3

Safety vest unisex
M (FH 160 - 176 cm), 2XL (FH 184 - 192 cm)
Warp knit, 100 % polyester, retroreflective bands, 120 g/m²

 $\cdot$  high visibility clothing  $\cdot$  velcro fastening  $\cdot$  trimming in 01 colour  $\cdot$  retroreflective bands



### HV REFLEX 3V5

Cap unisex adjustable

Twill, 50 % cotton, 50 % polyester, 240 g/m<sup>2</sup>

 $\cdot\,$  quick-drying fluorescent fabric  $\cdot$  bonded 2 front panels  $\cdot$  stitched, slightly curved peak

 $\cdot$  embroidered air holes  $\cdot$  sweatband  $\cdot$  size adjustable by velcro




#### SHIELD A99

Knee pads unisex uni  $\cdot$  170 x 240 mm (can be shortened)  $\cdot$  1 pcs. = 1 pair 100 % polyethylene

- · light, ergonimically shaped  $\cdot$  usable into the knee pockets
- $\cdot$  suitable for work when kneeling  $\cdot$  anti-penetration protection







Selected garments from the collection HIGH VISIBILITY (HV) Rimeck correspond to the international standards, which determine the optimal form of protective Plaining with high visibility. Certified garments from the HV collection are supplied with a leaflet providing information on proper storage, treatment and purpose.

**EN ISO 20471:2013** – High visibility Plaining – this international standard specifies requirements for Plaining with high visibility, which is able to visually indicate the presence of a user for vehicles or other mechanized means of transport under any light conditions, both in daylight and when illuminated by headlights of vehicles at night.

High visibility Plaining are made of fluorescent material, and in combination with reflective stripes are divided into three categories:

Category 3 - the highest level of protection - the minimum required substrate surface is 0.80 m<sup>2</sup> and 0.20 m<sup>2</sup> of retroreflective material.

Category 2 - the medium level of protection - the minimum required substrate surface is 0.50 m<sup>2</sup> and 0.13 m<sup>2</sup> of retroreflective material.

Category 1 - the minimum level of protection - the minimum required substrate surface 0.14 m<sup>2</sup> and 0.10 m<sup>2</sup> of retroreflective material.

**EN 1150:1999** – Protective Plaining – caution Plaining with high visibility for non-professional use – standard specifies requirements for optical properties of caution high visibility Plaining suitable for adults or teenagers, not for professionals. The garments are designed for visual indication of the presence of users in all light conditions, both in daylight in urban lighting and when illuminated by headlights of vehicles at night.

**EN 343:2003+A1:2007** – Protective clothes – Rain protection - European standard determining the properties of fabrics and seams of a protective garment. The chracteristics of these are measured for the outside of the clothes. After achieving the specific permeability requirments and reaching the appropriate certification, it provides protection against water penetration and resistence against steam penetration for the wearer.

**EN ISO EN ISO 13688:2013/A1:2021** – Protective Plaining - this international standard specifies the general requirements for the implementation of protective workwear in terms of ergonomics, safety, size designation, aging, marking of protective Plaining and the information which is supplied by the protective Plaining manufacturer.

**EN 14404:2004+A1:2010** – Personal protective equipment - Knee pads for kneeling work - The standard specifies requirements for knee protection for kneeling work where there is a risk of injury due to surface mechanical effects. The protectors must be harmless to health and safe for the users.

**TYPE 2** – foam plastic or other filling material in trouser pockets, or permanently attached to trousers.



**LEVEL 0** – only suitable for use on a flat surface - does not protect against punctures



**LEVEL 1** – suitable for use on flat or uneven surfaces - protection against puncture with a force of at least  $100 \pm 5 \,\mathrm{N}$ 



**LEVEL 2** – suitable for use on flat or uneven surfaces in demanding conditions – protection against puncture with a force of at least 250 ± 10 N